

RAD HIGH SPEED 25GX-2



Part Number: **19773**




LIGHTER **FASTER** STRONGER

More than 30 years of experience in gearbox engineering and design has brought about our latest generation in planetary gearboxes – RAD Single Speed. Designed for extreme duty use in a variety of industries worldwide.

SPECIFICATIONS

Torque Ranges: 700 ft. lbs. – 2500 ft. lbs.
Speed: 44 RPM
Weight: 16.6 lbs.
Square Drive: 1.0"
Noise Level: 80 dB
Repeatability: +/-2%
Accuracy: +/-4%

DIMENSIONS



DIMENSION A	DIMENSION B	DIMENSION C	DIMENSION D
12"	3.1"	3.3"	10.0"



Non
Impacting



Safe &
Reliable



Class 1 Division
2 Group A, B,
C, D T4



Accredited
ISO/IEC 17025

Included Tool Holder

With FRL unit, 12' hose and fittings



SUITABLE REACTION ARMS

Standard
PN: 18250



Deep Socket
PN: 18251



Double Ended Arm
PN: 10516



Blank
PN: 10513



Double Ended Blank
PN: 10448



Retaining Ring
PN: 10509



NEW WORLD TECHNOLOGIES INC

#100 - 30722 MARSHALL RD | ABBOTSFORD, BC V2T 0H9 | CANADA
604.852.0405 | INFO@RADTORQUE.COM | RADTORQUE.COM

RAD HIGH SPEED 34GX-2-M



Part Number: **19776**




LIGHTER **FASTER** STRONGER

More than 30 years of experience in gearbox engineering and design has brought about our latest generation in planetary gearboxes – RAD Single Speed. Designed for extreme duty use in a variety of industries worldwide.

SPECIFICATIONS

Torque Ranges: 950 Nm – 3400 Nm
Speed: 44 RPM
Weight: 7.5 Kg
Square Drive: 1.0"
Noise Level: 80 dB
Repeatability: +/-2%
Accuracy: +/-4%

DIMENSIONS



DIMENSION A	DIMENSION B	DIMENSION C	DIMENSION D
305 mm	78 mm	84 mm	254 mm



Non
Impacting



Safe &
Reliable



Class 1 Division
2 Group A, B,
C, D T4



Accredited
ISO/IEC 17025

Included Tool Holder

With FRL unit, 12' hose and fittings



SUITABLE REACTION ARMS

Standard
PN: 18250



Deep Socket
PN: 18251



Double Ended Arm
PN: 10516



Blank
PN: 10513



Double Ended Blank
PN: 10448



Retaining Ring
PN: 10509



NEW WORLD TECHNOLOGIES INC

#100 - 30722 MARSHALL RD | ABBOTSFORD, BC V2T 0H9 | CANADA
604.852.0405 | INFO@RADTORQUE.COM | RADTORQUE.COM