

# RAD WHEEL NUT & OTR MINING 1800NGX-R

Part Number: **13477**



## LIGHTER **FASTER** STRONGER

Accidents caused by incorrectly tightened wheel nuts are a serious problem. That's why the RAD Wheel Nut Bolting was designed with one job in mind: wheel nut bolting where torque control is a must.

### SPECIFICATIONS

Torque Ranges: 500 ft. lbs. - 1800 ft. lbs.

Speed: 10 RPM

Weight: 27.5 lbs.


Square Drive: 1.0"

Noise Level: 85 dB

Repeatability: +/-2%

Accuracy: +/-4%

### DIMENSIONS



DIMENSION A	DIMENSION B	DIMENSION C	DIMENSION D	DIMENSION E	DIMENSION F
20.26"	3"	11"	2"	3.31"	9.53"



Non  
Impacting



Safe &  
Reliable



Class 1 Division  
2 Group A, B,  
C, D T4



Accredited  
ISO/IEC 17025

### Included Tool Holder

With FRL unit, 12' hose and fittings



### SUITABLE REACTION ARMS

**Standard**  
PN: 13484



**Deep Socket**  
PN: 13515



**Double Ended Arm**  
PN: 13516



**Blank**  
PN: 13513



**Double Ended Blank**  
PN: 13514



**Retaining Ring**  
PN: 13476



## NEW WORLD TECHNOLOGIES INC

#100 - 30722 MARSHALL RD | ABBOTSFORD, BC V2T 0H9 | CANADA  
604.852.0405 | INFO@RADTORQUE.COM | RADTORQUE.COM

# RAD WHEEL NUT & OTR MINING 2400NGX-R-M

Part Number: **13563**




## LIGHTER **FASTER** STRONGER

Accidents caused by incorrectly tightened wheel nuts are a serious problem. That's why the RAD Wheel Nut Bolting was designed with one job in mind: wheel nut bolting where torque control is a must.

### SPECIFICATIONS

Torque Ranges: 700 Nm – 2400 Nm  
Speed: 10 RPM  
Weight: 12.4 Kg  
Square Drive: 1.0"  
Noise Level: 85 dB  
Repeatability: +/-2%  
Accuracy: +/-4%

### DIMENSIONS



DIMENSION A	DIMENSION B	DIMENSION C	DIMENSION D	DIMENSION E	DIMENSION F
515 mm	76 mm	279 mm	51 mm	84 mm	242 mm



Non  
Impacting



Safe &  
Reliable



Class 1 Division  
2 Group A, B,  
C, D T4



Accredited  
ISO/IEC 17025



Accredited  
ISO/IEC 17025

### Included Tool Holder

With FRL unit, 12' hose and fittings



### SUITABLE REACTION ARMS

**Standard**  
PN: 13484



**Deep Socket**  
PN: 13515



**Double Ended Arm**  
PN: 13516



**Blank**  
PN: 13513



**Double Ended Blank**  
PN: 13514



**Retaining Ring**  
PN: 13476



## NEW WORLD TECHNOLOGIES INC

#100 - 30722 MARSHALL RD | ABBOTSFORD, BC V2T 0H9 | CANADA  
604.852.0405 | INFO@RADTORQUE.COM | RADTORQUE.COM